

EASY PUFF METALLIC®

SPECIFICATIONS

Composition	±/π Average Thickness	Carrier	
PU	180 microns	adhesive polyester	REACH n° 1907/2006/EU VEGANOK AZIENDA N. 1004

APPLICATION INSTRUCTIONS

⊗ APPLIES ON	SUGGESTED CUTTING SETTINGS			TRANSFER SETTINGS			
cotton, polyester, poly/cotton blends not treated with silion or died with sublimation inks	Blade	<u></u> Pressure	>> Speed	Time	Temperature	Pressure	Peel
	45°	100-130 gf	25 cm/sec	5+10 sec	140°C (284°F)	High (5 bar)	cold

- → Cut mirrored and peel off excess material
- → Place the decoration on the fabric
- → Apply for 5 seconds with the recommended parameters, on a professional heat press (do not use a home iron)
- → Remove the carrier when it is cold
- → Press for another 10 seconds (covered with parchment paper) to create the 3D effect

PRODUCT HIGHLIGHTS

- → Easy to cut and weed, thanks to the sticky carrier
- → 3D-effect!

Z

- → Shiny and metallic finish!
 - ! Depending on the real temperatures of the used heat press and the possible variations of textiles, the final result may slightly vary .
 - ! We recommend to perform a test before launching a production!

CARE AND WASHING RECOMMENDATIONS

Washing	Ironing	Tumble dry	Ony cleaning	Storage Shelf Life	Storage Temperature	Storage Conditions	♦ ► Position
Hand wash or inside out in cold water	NO	NO	NO	Up to 2 years	Between 18°C and 26°C	Away from sunlight and dust	Vertical

- → Wait 24 hours after the application before the first wash
- → Respect the textile recommendations
- → Do not bleach or use aggressive chemical agents

This document can be subject to variations. Updated versions are available on www.siser.com For further information, please contact our sales office: info@siser.it



Siser s.r.l. Viale della Tecnica, 18 36100 Vicenza - Italy

Tel. +39 0444.287960 Fax +39 0444.287959 info@siser.it

r.e.a. vi 171856 reg. imp. vi n° 14971 c.s. € 103.300 i.v. p.iva 01591490246



